

INTERRA CONSIERGE SERVER INSTRUCTION MANUEL

2015



YONNET
SMART BUILDING
AUTOMATION SYSTEMS
2015

Table of Contents

INTERRA CONSIERGE SERVER	2
USER LOGIN.....	2
1.INTERRA CONSIERGE SERVER	3
1.1 REQUEST.....	3
1.2 ALARM.....	4
1.3 ANNOUNCEMENT.....	5
1.4 MESSAGE	6
1.4.1 INBOX	6
1.4.2 SENT	7
1.5 INVOICE.....	8
1.6 SMART METER	9
1.7 INFORMATION	10
2.USER.....	11
2.1 USERS	11
3.SYSTEM SETTING.....	13
3.1GENERAL.....	13
3.1.1 LANGUAGE.....	13
3.1.2 KNX.....	13
3.1.3 EIO.....	14
3.1.5 SYSTEM.....	14
3.1.6 SYSTEM UPDATE.....	14
3.2 DESIGN	15
3.3 RESIDANCE.....	16
3.4 KNX Logic.....	18

INTERRA CONSIERGE SERVER


USER LOGIN

It is enough to write server ip in order to login Interra Consierge Server. When Interra Consierge Server interface is appeared, a user name and password is requested from you.

Default Values

Username :admin

Password :123456789



1. INTERRA CONSIERGE SERVER

1.1 REQUEST

Requestsmenuat theSpa, Taxi, Technical Service, Valet, Cleaning, Shuttle, bellboy, respondsto ourcarneedswashing.



Administrator



V.2

LogOut

[Requests](#) /

[+ Delete All](#)

Show entries

Search:

Block	Residence	Request	Parameter	Message	Date Time
A	3	SPA	DORTKISI	2015-10-06 17:	2015-10-06 17:49:44
A	2	Araç Yıkama		aracimin yikanm	2015-10-06 17:40:23
A	2	Shuttle		hava alanina b	2015-10-06 17:39:57
A	2	Temizlik		Gunluk temizlik	2015-10-06 17:39:02
A	2	Vale		Aracimin otopar	2015-10-06 17:33:27
A	2	Tadilat	ELEKTRIKCI	sorti arizali	2015-10-06 17:31:51
A	2	Taksi		Ise gec kaldim	2015-10-06 17:23:32
A	2	SPA	UCKISI	2015-10-06 17:	2015-10-06 17:22:37
A	1	Araç Yıkama		Aracimin temizl	2015-10-05 12:18:32
A	1	Belboy		2015-10-05 11:	2015-10-05 11:39:23

Showing 1 to 10 of 16 entries

Previous

1

2

Next

1.2 ALARM

Living areas when any alarm condition is concerned; flood, fire, theft case, is reported to the site administrator via SMS.



Administrator



V.2

LogOut

[Alarm](#) /

[+](#) Delete All

Show entries

Search:

Block^	Residence	Date Time	Message
A	2	2015-10-11 17:49:44	SU Dedektorunde algılama var
A	3	2015-10-06 17:30:44	PIR Dedektorunde algılama var. Alarm Oluştur.

Showing 1 to 2 of 2 entries

Previous

Next

1.3 ANNOUNCEMENT

Integrated system concierge announcement from the administration site on the server, New Year greeting, regulation of the garden, pool maintenance, etc. Use is shown in this menu.

. Notice in the upper right corner on screen indicators and buttons are made of. If the data comes as a message to the device index number is increasing.



Administrator



V.2

LogOut

[Home](#) / [Announcement](#)



New Announcement



Delete All

Show entries

Search:

Announcement Caption	Announcement Date	Message
BAHCE DUZENLENMESI	2015-10-05 18:16:30	Cimlerin gunluk sulanmasi ve agaclarin bakiminin yapilmasi
COP SAATLERI	2015-10-05 18:01:19	Cop Saatleri Sabah. 08:30 -09:30 Akşam 15:00-16:00
HAVUZ KULLANIMI	2015-10-05 18:12:10	Havuz kullanimi 08:00-21:00 saatleri arasinda olup Pazartesi gunleri temizlik nedeni ile Havuz Kapalidir
YENI YIL TEBRIGI MES	2015-10-02 11:32:00	Yeni yilin tum insanliga ve ulkemize baris. mutluluk getirmesi dilegiyle tum dostlarin yeni yili kutlu olsun.

Showing 1 to 4 of 4 entries

Previous

1

Next

1.4 MESSAGE

Integrated into the administration Concierge server system on the server and incoming messages are sent via the is shown in this menu. Notice in the upper right corner on the screen are made to follow the indicator and button. If the data comes as a message to the device index number is increasing. Message content is opened by pressing on the message, you may see a message from the inbox by clicking on the pop-up window.

1.4.1 INBOX

The message sent to the site of the apartment comments and suggestions. You can see the contents of incoming messages or delete messages.



Administrator



V.2

LogOut

[Message](#)

New

Delete All

Inbox

1 A	Gorus/Oneri	2015-10-05 16:23:37
-----	-------------	------------------------

Inbox

Sent

← Previous Next →

1.4.2 SENT

Message content is opened by pressing on the message, you may see a message from the inbox by clicking on the pop-up window.



Administrator



V.2

LogOut

[Message](#) /

- New
- Delete All
- Inbox
- Sent

Sent

Administrat	COP SAATLERI	2015-10-05 18:29:39
-------------	--------------	------------------------

[← Previous](#) [Next →](#)

1.5 INVOICE

Integrated system management Concierge Server through the on which the checks gona to the site apartment. Invoices sent is shown in this menu. Warnings on screen in the top right corner of the display and buttons are monitored. If the data comes as a message to the device index number is increasing. The message content is opened by pressing on the message.



Administrator



V.2

Logout

[Home](#) / [Invoice](#)

[+](#) [New](#) [-](#) [Delete All](#) [↶](#) [Import](#)

Show entries

Search:

Caption	No	Price	Date Time	Residence
2015- Ekim Aidat Makbuzu	10973	1.500	2015-10-06	A3
2015-Ekim Aidat makbuzu	13171	1.500	2015-10-05	A1

Showing 1 to 2 of 2 entries

Previous Next

1.6 SMART METER

Supports intelligent control the import bill and the meter can send predefined billing system in Excel format, install and apartments.

 Administrator    | V.2 | [Logout](#) 

[Smart Meter](#) /

[+](#) [New](#) [-](#) [Delete All](#) [↶](#) [Import](#)

Show entries Search:

Caption	Meter	Residence
No data available in table		

Showing 0 to 0 of 0 entries [Previous](#) [Next](#)

You can choose to be sent to the office operations of Interra systems such as bill excell file on the screen, select which columns to display on the screen as prompted.

 Administrator    | V.2 | [Logout](#) 

[Smart Meter](#) /

[➔ Get All Data and Send](#)

Interra	Selected	Function	Excel File
Caption Meter Residence No	COUNTER NO COUNTER TYPE FIRST INDEX LAST INDEX USER NAME BLOK FLAT FLOOR	Add Remove Up Down	M-BUS ADDRESS DATE OF INSTALLATION DATE OF FIRST READING DATE OF LAST READING HOUSING AREA I READ TYPE

1.7 INFORMATION

Emergency services for pharmacies and so on. All residences are informed of developments.



Administrator



V.2

Logout

[Information](#)

+ New Information

+ Delete All

Show entries

Search:

Caption^	Subject	Content	Link
Nobetci Eczane	Bu gece nobetci olan eczaneler	Bu gece Bostancida nobetci olan eczaneler	http://www.istanbulnobetcieczaneler.com/bolge/20-Bostanc%C4%B1

Showing 1 to 1 of 1 entries

Previous

1

Next

2.USER

2.1 USERS

Integrated system on Concierge Server users are sent through the site management interface, through this menu, filtering based on user requests, authorities are able deleting and updating.



🏠 Users /



As it is seen on the screen; According to the user on the display module watchlist are filtered, updated, and deleted.



Administrator



V.2

LogOut

[Users](#) /

Modul Name			
	Full	Follow	None
Room Control	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Control Preview	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Consierge	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
User	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Information	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
Configuration	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>
System Settings	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
All System	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Requests	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Announcement	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Message	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Invoice	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
Smart Meter	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>

3. SYSTEM SETTING

3.1 GENERAL

Consierge Server onselecting menu from the system settings; Language, KNX, EIO, network, system, System Update Web Command Systemandselectingthese systems, that youwant you can change the settings of theimage.

Language	Change
KNX	Restart
EIO	Restart
Network	Configure
System	Restart
System Update	Update
Web Command CLI	Show

3.1.1 LANGUAGE

In Interra Touch Panel There are 2 units of language options. You can change the language settings by selecting default Turkish and in English.

3.1.2 KNX


Interra Touch Panel bus line that connects to the switch, thermostat detectors and so on. The sensors are connected to the same line driver device [on / off] dimmer motor drive and so on. comprisesThis function depends on the resumption of the KNX device if you click next to the red button, this function will be restarted.

3.1.3 EIO

In Interra Interra konsiyaj touch panel and has been working within the IP network server with software solutions. EIO service software module will reboot using your touch panel.

3.1.4 NETWORK

Your network option on the screen when you select the network settings, change the IP address, gateway, DNS settings, you can Update screen.



3.1.5 SYSTEM

Including system settings, General, Design, residence KNX Logic, a restart of the entire system can make these settings.

3.1.6 SYSTEM UPDATE

In the system settings, system update to be, you can update the system by pressing the button on the screen Update.

3.1.7 WEB COMMAND CLI

Environment with concierge system through a Web server, the administrator password, system adjustments on the log, the necessary adjustments can be made . This password is known only by a competent technical team and this process can be done by them.

3.2 DESIGN

Design, here you can change the module names in konsiyaj servers, for example, instead of the Control RoomRoom Control relaxing, instead of the Control Preview,control preview 2, , instead of theConsierge,my consierge,bla. By design you want, you can change it here.



Administrator



V.2

LogOut

Design /



Update

Modul Name

Room Control

Control Preview

Consierge

User

Information

Configuration

System Settings

Requests

3.3 RESIDANCE

You want to search the residence, all intere are included in this IP range will be listed when you select the IP range of interra. Interra can use the Save button to save the system.

 Administrator
  0
 0
 0
V.2 | Oturum Kapat 

 Rezidans /  Alarm


[+ Kaydet](#)




Baslangic
 Bitis

Show entries Search:

^ Blok	Rezidans No	Rezidans Ismi	Ip	Subnet	Gateway	DNS	InterraApk	Firmware	Db
A	1		192.168.1.68	255.255.255.0	192.168.1.1	8.8.8.8	383	11	11
a	1		192.168.1.65				38	59	13
A	1		192.168.1.232	255.255.255.0	192.168.1.1	8.8.8.8	38	59	13
A	1		192.168.1.201				38	64	13
A	1		192.168.1.191				38	59	13
A	1		192.168.1.171				38	63	13
A	2		192.168.1.167				38	54	13
A	3		192.168.1.152				38	54	13
A	2		192.168.1.150	255.255.255.0	192.168.1.1	8.8.8.8	384	11	12
a	1		192.168.1.15	255.255.255.0	192.168.1.1	8.8.8.8	381	50	10

After saving, the necessary adjustments on-screen menu, you can make the residence.


Administrator

V.2 | [Oturum Kapat](#)

[Rezidans](#)

+ Yeni Rezidans
+ Ara
+ Kontrol
+ Tumunu Sil

Show 10 entries

Search:

^ Blok	Rezidans No	Rezidans Ismi	Ip	Subnet	Gateway	DNS	InterraApk	Firmware	Db	Tipi
A	1	A1	192.168.1.191				38	59	13	INTERRA4-10INCH
A	2	A2	192.168.1.167				38	54	13	INTERRA4-7INCH
A	3	A3	192.168.1.152				38	54	13	INTERRA4-7INCH

Showing 1 to 3 of 3 entries

Previous
1
Next

3.4 KNX Lojic

Defined logic are listed here. You can define or edit existing here we want to define a new logic logic test screen.



Administrator



V.2

Oturum Kapat

[KNX Lojik](#) /

+ Update + Delete + Back

Name	<input type="text" value="test"/>
Listen Group Address	<input type="text" value="0/0/1"/>
Listen Value	<input type="text" value="01"/>
Gate	<input type="text" value="NONE"/>
Operant Code	<input type="text" value="esit"/>
Send Type	<input type="text" value="Direct"/>
Send Group Address	<input type="text" value="0/0/1"/>
Send Group Address Type	<input type="text" value="1b"/>
Send Value	<input type="text" value="01"/>
Which Residence	<input type="text" value="All selected"/>