





### Presence & Motion Sensors

A unique combination of safety, efficiency, and comfort with the thinnest design in its class. With the new Interra KNX Sensor series, functions like energy and lighting management, heating, and air conditioning in indoor spaces can be integrated into building automation systems in an innovative and reliable way.

Interra KNX Presence & Motion Sensors are multi-functional devices suitable for indoor usage with multiple-range detection capability from 11m to 48m and 2 color options.



#### Virtual Card Holder

Interra KNX Presence and Motion Sensors have integrated Virtual Card Holder function. It provides an outstan-

ding guest experience in hotel applications and maximizes energy management.



#### All in One

Interra KNX Presence & Motion Sensors has Brightness. Presence, Internal and External Movement. Temperature Detection features, 4 Independently Configurable Presence Channels for Constant Control Application.



#### **Thermostat Feature**

Elevate temperature control to a whole new level with our sensors' latest enhancement the thermostat feature. Experience precise climate control and optimize energy consumption effortlessly.



## Interra KNX Motion Sensors

Technology: Passive Infrared Installation: Indoor Mounting Height: 4 m - 15 m Current Consumption: 5 mA Brightness Detection: 1-1200 lux Inputs: 2 Digital & 1 Analog Input Max. Air Humidity: % 90 RH **Pollution Degree:** 2 Flush Mount Protection Type: IP 20 Surface Mount Protection Type: IP 44

### Interra KNX Presence Sensors

Technology: Passive Infrared Installation: Indoor Mounting Height: 2.5 m - 4 m Current Consumption: 5 mA Brightness Detection: 1-1200 lux Inputs: 2 Digital & 1 Analog Input Max. Air Humidity: % 90 RH **Pollution Degree:** 2 Flush Mount Protection Type: IP 20 Surface Mount Protection Type: IP 44

**Interra KNX Motion Sensor Detection Ranges** 



## **Interra KNX Presence Sensor Series**





Product Code Dimensions (0 x H)	Notes
ITR415-0001 70 × 41,8 mm	Requires professional KNX installation.



#### KNX Mid-Range+ Presence Sensor - White

Product Code Dimensions ( $\Phi$ x H)	Notes
ITR415-0002 70 × 41,8 mm	Requires professional KNX installation.



#### KNX Wide-Range Presence Sensor - White

Product Code Dimensions ( $\Phi$ x H)	Notes
ITR415-0003 70 × 41,8 mm	Requires professional KNX installation.



#### KNX Mid-Range Presence Sensor - Black

Product Code	e Dimensions (Ф x H)	Notes
ITR415-0101	70 × 41,8 mm	Requires professional KNX installation.



#### KNX Mid-Range+ Presence Sensor - Black

Product Code Dimensions (Ф x H)	Notes
ITR415-0102 70 × 41,8 mm	Requires professional KNX installation.



#### KNX Wide-Range Presence Sensor - Black

Product Code Dimensions ( $\Phi$ x H)	Notes
ITR415-0103 70 × 41,8 mm	Requires professional KNX installation.

## **Interra KNX Presence Sensor Series**



#### KNX Mid Range Presence Sensor w/ Thermostat - White

Product Code Dimensions ( $\Phi \times H$ )		Notes
ITR415-0011	70 × 41,8 mm	Requires professional KNX installation.



#### KNX Mid Range+ Presence Sensor w/ Thermostat - White

Product Code Dimensions ( $\Phi$ x H)	Notes
ITR415-0012 70 × 41,8 mm	Requires professional KNX installation.



#### KNX Wide Range Presence Sensor w/ Thermostat - White

Product Code	Dimensions ( $\Phi$ x H)	Notes	
ITR415-0013	70 × 41,8 mm	Requires professional KNX installation.	



#### KNX Mid Range Presence Sensor w/ Thermostat - Black

Product Cod	e Dimensions ( $\Phi$ x H)	Notes
ITR415-0111	70 × 41,8 mm	Requires professional KNX installation.



#### KNX Mid Range+ Presence Sensor w/ Thermostat - Black

Product Code	e Dimensions (Ф x H)	Notes
ITR415-0112	70 × 41,8 mm	Requires professional KNX installation.



#### KNX Wide Range Presence Sensor w/ Thermostat - Black

Product Code	e Dimensions ( $\Phi$ x H)	Notes
ITR415-0113	70 × 41,8 mm	Requires professional KNX installation.

# **Interra KNX Motion Sensor Series**



#### KNX High-Bay Motion Sensor - White

Product Code Dimensions ( $\Phi$ x H)	Notes
ITR415-0004 70 × 48 mm	Requires professional KNX installation.



#### KNX High-Bay+ Motion Sensor - White

Product Code Dimensions (0 x H)	Notes
ITR415-0005 70 × 48 mm	Requires professional KNX installation.



#### KNX High-Bay Motion Sensor - Black

Product Code Dimensions (0 x H)	Notes
ITR415-0104 70 × 48 mm	Requires professional KNX installation.



#### KNX High-Bay+ Motion Sensor - Black

Product Cod	e Dimensions (Ф x H)	Notes
ITR415-0105	70 × 48 mm	 Requires professional KNX installation.



#### KNX High Bay Sensor - White w/ Thermostat

Product Code Dimensions (0 x H)	Notes
ITR415-0014 70 × 41,8 mm	Requires professional KNX installation.



#### KNX High Bay+ Sensor - White w/ Thermostat

Product Code	Dimensions ( $\Phi$ x H)	Notes
ITR415-0015	70 × 41,8 mm	Requires professional KNX installation.

## **Interra KNX Motion Sensor Series**



#### KNX High Bay Sensor w/ Thermostat - Black

Product Code	Dimensions ( $\Phi$ x H)	Notes
ITR415-0114	70 × 41,8 mm	Requires professional KNX installation.



Product Code	Dimensions ( $\Phi$ x H)	Notes
ITR415-0115	70 × 41,8 mm	 Requires professional KNX installation.

## **Surface Mounted Cases for Presence & Motion Sensors**



#### Surface Mounted Case - White

Product Code Dimensions (0 x H)	Notes
ITR415-9004 70 × 41,8 mm	Suitable for both motion and presence sensors.



#### **Surface Mounted Case - Black**

Product Code Dimensions ( $\Phi$ x H)	Notes
ITR415-9904 70 × 41,8 mm	Suitable for both motion and presence sensors.

## **Interra KNX Outdoor Type Motion Sensor Series**



#### **KNX Outdoor Movable Motion Sensor - White**

Product Code Dimensions (W×H×D)	Notes
ITR410-0003 Wall Mount: 150x84x90	For ceiling mounting 166x111x90 mm

# **`KNX Microwave Sensor Series**



#### KNX Indoor Microwave Sensor Ceiling Mount - White

Product Code Dimensions ( $\Phi$ x H)	Notes
ITR411-0001 84.5 x 32 mm	Requires professional KNX installation.



#### **KNX Microwave Sensor - White**

Product Code Dimensions (0 x H)	Notes
ITR415-0006 84.5 x 32 mm	Requires professional KNX installation.



KN	1X	Mi	cro	wave	e Sens	50r -	Blac	:k			
								:			

Product Code Dimensions ( $\Phi \times H$ )	Notes
ITR415-0106 84.5 x 32 mm	Requires professional KNX installation.

## **Interra KNX Microwave Sensor Series**



#### KNX Microwave Sensor w/ Thermostat - White

Product Code Dimensions ( $\Phi$ x H)	Notes
ITR415-0006 84.5 x 32 mm	Requires professional KNX installation.



#### KNX Microwave Sensor w/ Thermostat - Black

I	Product Code	Dimensions (0 x H)	Notes
I	TR415-0106	84.5 x 32 mm	Requires professional KNX installation.

## **Interra KNX Outdoor Type Microwave Sensor Series**



#### KNX Outdoor Microwave Sensor Wall Mount - White

Product Code Dimensions (W×H×D)	Notes
ITR411-0002 126 x 78 x 114 mm	Requires professional KNX installation.

## **Interra KNX Water Flood Detector Series**



KNX Water Flood Detector	
Product Code Dimensions (W×H×D)	Notes
ITR401-0001 55 x 88.1 x 21.6 mm	Requires professional KNX installation.

## **Interra KNX Heat and Smoke Detector Series**



#### **KNX Heat and Smoke Detector - White**

Product Code D	Dimensions ( $\Phi$ x H)	Notes
ITR403-1001 9	9 x 49 mm	For ceiling mounting 166x111x90 mm Requires professional KNX installation.

## **Interra KNX Air Quality Sensor Series**



#### **KNX Air Quality Sensor - White**

Product Code	Dimensions ( $\Phi$ x H)	Notes
ITR403-1010	90 x 30 mm	Requires professional KNX installation.



#### KNX Air Quality Sensor - Black


Product Code	e Dimensions (Ф x H)	Notes
ITR404-1110	90 x 30 mm	Requires professional KNX installation.

# A Clean Breathe, **Worth Everything.**

# New Interra KNX Air Quality Sensor

Coming Very Soon..

# Interra KNX Weather Station GPS



# Let your home decide everything for you!

# **TExtra intelligence for your home**

Interra Weather Station lets your smart home system knows the external weather situations such as brightness and location of the sun, wind, rain, and temperature to determine the building management processes as your wish. According to all this information, your home can control itself by deciding the level of the blinds, jalousies, or lights. Even it may open the windows before running the HVAC system if the weather is too hot inside or it may close the awnings in strong winds or may close the skylights and fanlights when the rain starts.







The slats of the blind adjusted according to the height of the sun.



It takes into account the shadow cast by the roof overhang and knows the shadow edge.



#### Interra KNX Weather Station GPS - White

Product Code Dimensions (W×H×D) Notes

ITR402-0001 96 x 77 x 118 mm


Requires professional KNX installation.



Cumhuriyet Mh. Kartal Cd. Interra R&D Center Kartal / Istanbul - Turkey

> T: +90 216 326 26 40 F: +90 216 324 25 03 E: info@interra.com.tr

interratechnology.com





Interra KNX Product Catalogue Scan for pdf version.

