


# 'INTERRA

*Developer of Uniqueness*

## Gree VRF Air Condition Units AC - KNX Gateway **Compatibility List**



## **Gree VRF AC - KNX Gateway Compatibility List**

In this document, the compatibilities of Gree VRF air conditioners with ITR830-0009 are described.

Specified models in the document are referred **indoor units**. If the last user wants to operate an AC unit with a model number not specified in this document might not be compatible with ITR830-0009. Models should not be used without checking model compatibility. The user should contact with supplier for this. Moreover, we recommend the users pay attention to the possible updates of the document.

## Compatibility Table

All of the models described in the table below are referred to only indoor units. If a model number is not specified in this list, please contact us for a compatibility check. The connection diagram between the air conditioner interface and the air conditioner indoor unit is detailed in the ITR830-0009 datasheet.

Indoor Unit Model	Line
GMV-N 22/28/36/45/56/71 G/A3A-K	Wall
GMV-N 22/28/36/45/56/71 G/E3A-K	
GMV-ND 22/28/36/45/50/56/63/71/80/90/100 G/B4B-T	Wall M2
GMV-ND 22/28/36/45/50/56/63/71 G/D2B-T	Mirrored Wall M4
GMV-ND 56/63/71/90/100/112/125/140/160 PHS/A-T	YS Duct
GMV-ND 56/63/71/80/90/100/112/125/140/160 PHS/D-T	YS Duct M2
GMV-ND2 24/80 PH/A-T	YS Duct T1
GMV-ND 22/28/36/45/56/63 PLS/A-T	DS Duct
GMV-ND 22/25/28/32/36/45/56/63/71 PLS/C-T	
GMV-ND 22/28/36/45/56/63/71/80/90 PHS/B-T	OS Duct
GMV-ND1 00/12/25/40/60 PHS/B-T	
GMV-ND 22/28/36/45/50 PHS/D-T	OS Duct M2
GMV-ND 22/28/36/45/56/72 PL/B-T	Slim Ducted
GMV-ND 22/28/36/45/56/63/71 PLS/C1-T	Ducted M3
GMV-N 140/280/560 U/C-T	AHU Kit
GMV-ND 22/28/36/45/50 C/A-T	Standing with Case
GMV-ND 22/28/36/45/56/63/71 ZA/A-T	Standing without Case
GMV-ND 22/28/36/45/50 TD/A-T	1-Way Cassette
GMV-ND 22/28/36/45/50/56 TD/A-T	1-Way Cassette M2
GMV-ND 71/80 TD/B-T	
GMV-ND 28/36/45/56/63/71 TS/A-T	2-Way Cassette M1
GMV-ND 28/36/45/50/56/63/71 TS/B-T	2-Way Cassette M2

**Compatibility List**

<b>GMV-ND 28/36/45/50/56/63/71/80/90/100/112/125/140/160 T/A-T</b>	<b>4-Way Cassette M1</b>
<b>GMV-ND 22/28/36/45/50/56 T/B-T</b>	
<b>GMV-ND 28/36/45/56/71/90/112/125/140 T/D1-T</b>	<b>360 Cassette M2</b>
<b>GMV-ND 22/28/36/45/56 T/E-T</b>	<b>Compact 360 Cassette M1</b>
<b>GMV-ND 28/36/50/63/71/90/112/125/140 ZD/A-T</b>	<b>Floor – Ceiling M1</b>
<b>GMV-ND 28/36/50/71/90/112/125/140 ZD/B-T</b>	<b>Floor – Ceiling M2</b>
<b>GMV-ND1 00/40 L/A-T</b>	<b>Salon</b>
<b>GMV-NX 140 P/A(1.2)-K</b>	<b>Fresh Air</b>
<b>GMV-NX 224 P/A(2.0)-M</b>	
<b>GMV-NDX 140/224/280 P/A-T</b>	<b>Fresh Air M3</b>

---

## CONTACT INFORMATION

---

### THE INTERRA WEBSITE

Interra provides documentation support via our website [www.interratechnology.com](http://www.interratechnology.com). This website is used as a means to make files and information easily available to customers. Accessible by using your favourite Internet browser, the website contains the following information:

- Information about our products and projects.
- Overview of Interra company and values.
- Product Support: Datasheets, product manuals, application descriptions, latest software releases, ETS databases and archived software.

### EUROPE, Turkey

Interra

Cumhuriyet Mah. Kartal Cad. Interra R&D Center

No:95/1 Kartal/İstanbul

Tel: +90 (216) 326 26 40

Fax: +90 (216) 324 25 03

Web adress: <http://www.interratechnology.com/>