# INTERRA

—Developer of Uniqueness—

Viessmann ABC Port Air Condition Units

AC - KNX Gateway

Compatibility List

Viessmann ABC Port AC - KNX Gateway Compatibility List

In this document, the compatibilities of Viessmann ABC Port air conditioners with ITR830-X2XX are described.

Specified models in the document are referred **indoor units**. If the last user wants to operate an AC unit with a model number not specified in this document might not be compatible with ITR830-X2XX. Models should not be used without checking model compatibility. The user should contact with supplier for this. Moreover, we recommend the users pay attention to the possible updates of the document.

Compatibility Table

All of the models described in the table below are referred to only indoor units. If a model number is not specified in this list, please contact us for a compatibility check. The connection diagram between the air conditioner interface and the air conditioner indoor unit is detailed in the ITR830-X2XX datasheet.

Indoor Unit Model	Line
DVLA50 15/22/28/36/45/56/71 **M1**	**Slim Concealed Duct M1**
DVLD50 15/22/28/36/45/56/71 **M1**	**Low Static Ducted M1**
DVM50 15/22/28/36/45/56/71/80/90 **M1** **DVM51** 12/40/60 **M1** **DVMP5** 090/112/140 **M1**	**Medium Static Ducted M1**
DVHA 5056/5071/5080/5090/5112/5140/5226/5280 **M1**	**High Static Ducted M1**
DVHD50 15/22/28/36/45/56/71/80/90 **M1** **DVHD51** 12/40/60 **M1** **DVHD52** 26/80 **M2**	**Channel DVHD M1**
DVHD50 22/28/36/45/56/71/80/90 **M2** **DVHD51** 12/25/40/60 **M2**	**Constant AirFlow Duct Unit**
CV1E50 15/22/28/36 **M1**	**1-Way Cassette M1**
CV1E50 15/22/28/36/45/56/71 **M2**	**1-Way Cassette M2**
CV250 21/28/36/45/56 **M1**	**2-Way Cassette M1**
CV8C50 15/22/28/36/45/56 **M1**	**Compact 4-Way Cassette**
CV850 22/28/36/45/56/71/90 **M1** **CV851** 12/40/60 **M1**	**360 Cassette M1**
FCV5 028/036/045/056/071/080/090/112/140 **M1**	**Floor – Ceiling M1**
CLV50 22/28/36/45/56/71 **M1**	**Floor Type M1**
CSV50 15/22/28/36/45/50 **M1**	**Console M1**
FAV5 140 **M1** **FAV52** 24/80 **T1**	**Fresh Air M1**
FAV5 140/226/280 **M2**	**Fresh Air M2**
WV50 15/22/28/36/45/56/71/80/90 **M1**	**Wall – M1**

CONTACT INFORMATION

THE INTERRA WEBSITE

Interra provides documentation support via our website www.interratechnology.com. This website is used as a means to make files and information easily available to customers. Accessible by using your favourite Internet browser, the website contains the following information:

- Information about our products and projects.

- Overview of Interra company and values.

- Product Support: Datasheets, product manuals, application descriptions, latest software releases, ETS databases and archived software.

EUROPE, **Turkey**

Interra

Cumhuriyet Mah. Kartal Cad. Interra R&D Center

No:95/1 Kartal/İstanbul

Tel: +90 (216) 326 26 40

Fax: +90 (216) 324 25 03

Web adress: http://www.interratechnology.com/